

Perform 4000



Perform® 4000 bleaching adsorbent

Perform 4000 bleaching earth provides superior bleaching activity for demanding oils.

TYPICAL PROPERTIES

Free Moisture, wt.% @ 105°C	10.5%
pH (5% solids in D.I.H ₂ O)	2.9
Tamped Density	41.0 lbs./ft ³ 656.0 g/l

PARTICLE SIZE

U.S. Standard Sieve:	
Through 325 Mesh (Less than 45 Microns) wt.%	77.0%

REGULATORY APPROVALS

All Pure-Flo adsorbents and Perform products are classified as processing aids and have Generally Recognized As Safe (GRAS) status from the Food and Drug Administration (FDA).

PACKAGING AND TRANSPORTATION

Perform 4000 adsorbent is available in bulk or a variety of bag sizes. Shipments are made by truck, rail or shipping container. Packaged product is palletized and unitized. Oil-Dri can arrange for transportation or customer pickup. Point of origin is Ochlocknee, Georgia, U.S.A.

Note: The properties outlined above represent typical values for this product. They are not designed to convey absolute product specifications.

The information in this data sheet is believed to be accurate. However, each purchaser should make its own test to determine the suitability of the product for its purposes. Oil-Dri makes no warranty, express or implied, with respect to the product and assumes no responsibility for any risk or liability arising from the use of this product information.

Perform 4000


Outstanding Chlorophyll and Color Removal

Cost Effective for Multi-Oil Producers

Outstanding Filtration Characteristics

Perform 4000® bleaching adsorbent

Perform 4000 bleaching adsorbent has both excellent activity and fast filtration. The raw material is an intergrowth of hormite and smectite minerals and has unique adsorption characteristics. Proprietary processing, combined with the natural mineral qualities, produces a highly active, fast-filtering product.



PERFORMANCE FEATURES AND BENEFITS

- Excellent chlorophyll removal from vegetable oils, including canola, soybean and sunflower
- Superior color removal from oils such as corn, canola and soybean
- Removes soaps and phospholipids
- Excellent metals adsorption (P, Ca, Fe, Mg, etc.)
- Outstanding filtration characteristics, including long filtration cycles and less pressure build up at cycle end

SUGGESTED PROCESSING APPLICATIONS

- Effective with all types of difficult-to-bleach oil
- Excellent for producers with very stringent specifications

TECHNICAL SERVICE AND SUPPORT

The Fluids Purification Group surrounds its customers with the best products and services. Technical support includes accessibility to Oil-Dri's research and development group and our state-of-the-art testing facilities, in-plant trials and a wealth of industry expertise. Oil-Dri recognizes that equipment, procedures and conditions interact with crude oil type and quality to make every process unique, and we'll help you optimize your processes and products.

**Providing Quality
 Sorbent Products
 and Services to
 Our Purification
 Partners Worldwide**

Oil-Dri works with local agents in over 50 countries around the world to deliver the quality service you expect.

Contact us today to see how we can improve your bleaching process.

Corporate Offices:

Oil-Dri Corporation of America
 410 N. Michigan Ave., Suite 400
 Chicago, Illinois 60611 U.S.A.

Email: fluidspurification@oildri.com
 Website: www.oildri.com
 Toll Free: 888.787.3356
 Phone: 312.321.1515
 Fax: 312.321.1271